



USER MANÚAL Jackal KinetiCore


LAZER

How to install the action camera mount




How to install the action camera mount






How to access the visor bolts



Jackal KinetiCore has an adjustable visor secured to the helmet by 2x metal bolts. These bolts are covered by plastic caps to retain the clean aesthetic of the helmet. If the bolts loosen, for example after lots of vibration due to riding hard on rough terrain, it may be necessary to tighten them.


- 1) To do this, prize the cap off with your finger nail, or gently with a small flatheaded screwdriver as shown in fig.f.
- 2) When the cover is removed you will have access to the visor bolts. These can be tightened clockwise using a coin, large flathead screwdriver or 4mm hex key as shown in fig.g.



How to use the magnetic buckle


To open the magnetic buckle, simply slide the upper part sideways away

from the lower part in the direction of the arrows in fig.h.



To close, simply bring the upper and lower part close enough to each other

for the magnets to attract each other together.



We've got you covered!

Crash replacement

In the event of a crash, we will replace your damaged Lazer helmet for a new one. Keep your proof of purchase.



30-day money back

If you are not completely satisfied, you can return this for a replacement Lazer helmet or recieve your money back.



Terms and conditions vary by participating markets & resellers, please check with your local dealer/distributor for more details.

Thank you for choosing the Lazer helmet. You have made an excellent choice that will help to reinforce your safety while cycling: the sport for which this helmet has been designed. Lazer helmets conform to the strict criteria of international standards.

Wearing a helmet may reduce the seriousness of injuries to the head that may occur during a sports accident. For this reason, it is important to use this protective gear properly.

Instructions for use and care:

- No helmet can protect the wearer against all possible impacts.
 The helmet is designed to be retained by a str.
- 2) The helmet is designed to be retained by a strap under the lower iaw.
- 3) To be effective, a helmet must fit and be worn correctly. To check for correct fit, place helmet on head and make any adjustments indicated. Securely fasten retention system. Grasp the helmet and try to rotate it to the front and rear. A correctly fitted helmet should be comfortable and should not move forward to obscure vision or rearward to expose the forehead.

- **4)** No attachments should be made to the helmet except those recommended by the helmet manufacturer.
- 5) The helmet is designed to absorb shock by partial destruction of the shell and liner. This damage may not be visible. Therefore, if subjected to a severe blow, the helmet should be destroyed and replaced even if it appears undamaged.
- 6) The helmet may be damaged and rendered ineffective by petroleum and petroleum products, cleaning agents, paints, adhesives and the like, without the damage being visible to the user.
- **7)** A helmet has a limited lifespan in use and should be replaced when it shows obvious signs of wear.
- 8) This helmet should not be used by children while climbing or doing other activities where there is a risk of hanging or strangulation if the child gets trapped whilst wearing the helmet.
- 9) This helmet is designed only for the following activity: cycling, roller skate, skateboard. It is not designed to be used with mopeds or any other type of sport, mechanical or not.

Lamorinièrestraat 33-37 2018 Antwerp - Belgium www.lazersport.com

